

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14087	(709/201-203).OCLS	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 11:47
L2	7888	SIP SAME CALL\$3 SAME (TERMINAL DEVICE USER NODE)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 11:47
L3	0	1 SAME 2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 11:47
L4	121	1 AND 2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 11:47
L5	1691	1 AND ((STOR\$3 SAVE\$ DATABASE PREVIOUS) same parameter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 12:17
L6	68	1 AND (((STOR\$3 SAVE\$ DATABASE PREVIOUS) same parameter) same ((session call setup) with (ID IDENTIFICATION INDICATOR IDENTIFIER NUMBER)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 12:19
L7	5	(database same distribu\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 13:08
L8	44	((database memory server) same distribu\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 13:13
L9	1	1 and ((database memory server) same distribu\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 13:18

L10	9	1 and ((database memory server) and distribu\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 13:18
L11	9	1 and (distribu\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 13:23
L12	3	("7180879").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 13:24
L13	2	("5465300").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 13:36
L14	2	("20050027852").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 14:19
L15	2	("7089027").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 14:22
L16	2	("6914964").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 14:31
L17	2	("20070014251").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 14:34
L18	2	("5661806").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 14:41
L19	36	"5428684"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 14:43
L20	2	("5428684").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 14:43
L21	2	("20040114532").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 14:45
L22	2	"20030188010"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 14:47
L23	27	{stor\$3 sav\$3 cach\$4 database memory) near2 ((previous old) near2 (parameter)) same (node terminal station mobile device end\$1point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 15:02

L24	2	("20030035393").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 15:37
L25	2	("5465300").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 15:57
L26	86	MSD NEAR2 NUMBER	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 17:39
L27	2	MSD NEAR2 NUMBER SAME (NODE TERMINAL DEVICE END MOBILE) SAME (SIP MESSAGE CALL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 17:39
L28	24	MSD NEAR2 NUMBER AND (NODE TERMINAL DEVICE END MOBILE) AND (SIP MESSAGE CALL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 17:40
L29	2	("20050060411").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 17:47
S1	2	("6914879").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/07 12:53
S2	2	("20070130301").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/07 13:03
S3	2	S2 and (network adj management)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 13:03
S4	2	("20070218924").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/07 16:08
S5	2	key and S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 16:08
S6	47	("ITU-T H.245")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 16:11
S7	4326	(SET\$3UP near3 call\$1).AB.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 16:59

S8	204	S7 AND (ITU-T "H.245")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 16:59
S9	137	S8 AND (parameter\$1 (telephone near2 number) ID identification)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 17:16
S10	7	S9 and (370/230.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 17:29
S11	4	S9 and (370/252.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 17:32
S12	0	S9 and (370/261.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 17:34
S13	0	S9 and (370/271.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 17:34
S14	0	S9 and (370/278.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 17:34
S15	0	S9 and (370/277.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 17:34
S16	8	(call near2 set\$3up) and (370/277.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 17:34
S17	220	(call near2 set\$3up) and (370/230.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/07 17:38

S18	91361	(Determin\$3 verify\$3 decid\$3 conclud\$3 establish\$3 resolv \$3 check\$3 analyz\$3 examin \$3) same (session call\$3) same (parameter\$2 consideration\$1 limitation\$2 requirement\$2 factor\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/07 18:24
S19	20380	(Determin\$3 verify\$3 decid\$3 conclud\$3 establish\$3 resolv \$3 check\$3 analyz\$3 examin \$3) with (session call\$3) with (parameter\$2 consideration \$1 limitation\$2 requirement \$2 factor\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/07 18:25
S20	626	(Determin\$3 verify\$3 decid\$3 conclud\$3 establish\$3 resolv \$3 check\$3 analyz\$3 examin \$3) with (session call\$3) with (parameter\$2 consideration \$1 limitation\$2 requirement \$2 factor\$2) same (call near2 set\$3up)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/07 18:25
S21	468	(Determin\$3 verify\$3 decid\$3 conclud\$3 establish\$3 resolv \$3 check\$3 analyz\$3 examin \$3) with (session call\$3) with (parameter\$2 consideration \$1 limitation\$2 requirement \$2 factor\$2) with (call near2 set\$3up)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/07 18:26
S22	6	(Determin\$3 verify\$3 decid\$3 conclud\$3 establish\$3 resolv \$3 check\$3 analyz\$3 examin \$3) with (session call\$3) with (parameter\$2 consideration \$1 limitation\$2 requirement \$2 factor\$2) with (call near2 set\$3up) same ((telephone near3 number)(telephone near2 (ID identification)) (session near2 (key ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/07 18:28
S23	208	(Determin\$3 verify\$3 decid\$3 conclud\$3 establish\$3 resolv \$3 check\$3 analyz\$3 examin \$3) with (session call\$3) with (parameter\$2 consideration \$1 limitation\$2 requirement \$2 factor\$2) with (call near2 set\$3up) and ((telephone near3 number)(telephone near2 (ID identification)) (session near2 (key ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/07 18:31

S24	24	("20020075880" "20020159442" "5867562" "6622016" "6711417" "6845092" "6888803" "6910074" "7043241" "7072653" "7184418" "7356001").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 11:39
S25	4	S24 and (setup near1 call\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 11:39
S26	24	("20020075880" "20020159442" "5867562" "6622016" "6711417" "6845092" "6888803" "6910074" "7043241" "7072653" "7184418" "7356001").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 11:45
S27	24	("20020075880" "20020159442" "5867562" "6622016" "6711417" "6845092" "6888803" "6910074" "7043241" "7072653" "7184418" "7356001").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 11:48
S28	4	S27 and (call near setup)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 11:49
S29	4	("2003035393").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/08 11:53
S30	2	("20030035393").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/08 11:53
S31	5	("2003/0035393").URPN.	USPAT	OR	OFF	2009/03/08 11:54
S32	2	("5943327").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/08 12:06
S33	12	("20030032430" "5845785" "6088337" "6195546" "6621809" "6714789").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 12:08
S34	3	S33 and (call near setup)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 12:09

S35	833	(Determin\$3 decid\$3 find\$3 look\$3 search\$3 examin\$3 inspect\$3 resolv\$3) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID identification)) (telephone near2 number) (transaction near2 (ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 12:23
S36	951	(Determin\$3 decid\$3 find\$3 look\$3 search\$3 examin\$3 inspect\$3 resolv\$3) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 12:23
S37	274	(Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same (stor\$3 sav \$3 previous database) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 12:27
S38	114	S36 same S37	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 12:28
S39	2	("20040073512").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/08 12:51
S40	2	("2004/0073512").URPN.	USPAT	OR	OFF	2009/03/08 12:51

S41	75	(Retrieve\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquire\$3) same (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:09
S42	0	(Retrieve\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquire\$3) same (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) same (call near2 setup)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:09
S43	4	(Retrieve\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquire\$3) same (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) and (call near2 setup)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:09
S44	9	(Retrieve\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquire\$3) same (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) and (call near2 setup)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:13

S45	43	(Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same (stor\$3 sav\$3 previous) with (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) and (call near2 setup)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:16
S46	146	(Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same (stor\$3 sav\$3 previous) with (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) and ((establish\$3 set\$4up) near2 (call\$3 session\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:21
S47	15	(Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same (stor\$3 sav\$3 previous) with (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) same ((establish\$3 set\$4up) near2 (call\$3 session\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:21
S48	44	(Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) with (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:29

S49	13	((Determin\$3 decid\$3 find\$3 look\$3 search\$3 examin\$3 inspect\$3 resolv\$3) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) with ((session near1 (ID identification)) (telephone near2 number) (transaction near2 (ID identification))) same (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:33
S50	0	((retriv\$3 and (session adj (ID IDENTIFICATION KEY)) and parameter\$1).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:36
S51	0	((retriv\$3 with (session adj (ID IDENTIFICATION KEY)) with parameter\$1).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:36
S52	0	((retriv\$3 and (call session) and parameter\$1).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:37
S53	56	((retriv\$3 fetch\$1 get\$4) and (call session) and parameter\$1).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:37
S54	914	((session near2 initiat\$5) (SIP))with (TELEPHONE NEAR NUMBER)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:56

S55	0	((session near2 intiat\$5) (SIP))with (TELEPHONE NEAR NUMBER) SAME (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) with (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:57
S56	3	((session near2 intiat\$5) (SIP))with (TELEPHONE NEAR NUMBER) AND(Retrie v\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) with (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:57
S57	71	((session near2 intiat\$5) (SIP))with (TELEPHONE NEAR NUMBER) AND(Retrie v\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) SAME (stor\$3 sav\$3 previous) SAME (session call) SAME(Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:59
S58	1	((session near2 intiat\$5) (SIP))with (TELEPHONE NEAR NUMBER) SAME (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3)SAME (stor\$3 sav \$3 previous) SAME (session call) SAME(Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 13:59
S59	91	(Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3)SAME (stor\$3 sav \$3 previous) SAME (session call) SAME(Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with (telephone near1 number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 14:20

S60	20	(Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) with (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) with (telephone near1 number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 14:21
S61	33	(match\$3 compar\$3 evaluat\$4 check\$3)with (telephone near1 number) with (stor\$3 sav\$3 previous) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 14:29
S62	122	(match\$3 compar\$3 evaluat\$4 check\$3)with (telephone near1 number) same (stor\$3 sav\$3 previous) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 14:33
S63	914	(call near set\$4up).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 14:40
S64	0	S63 and S37	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 14:40
S65	2	S63 and S36	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 14:41
S66	9	S63 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same (stor\$3 sav\$3 previous) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/08 14:44
S67	2	("20050165984").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 13:42
S68	0	("2005/0165984").URPN.	USPAT	OR	OFF	2009/03/09 13:43

S69	0	(703/404).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 13:48
S70	183	(705/404).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 13:48
S71	2230	reduc\$3 same (delay\$2 late \$4) same (establish\$3 set\$5) same (call session)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 16:02
S72	1702	S71 and((session near2 (id identification identifier key)) (phone adj number)(terminal (id identifier identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 16:04
S73	269	S72 and (ITU "H.324")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 16:04
S74	2	("20040125760").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 16:17
S75	1	("2004/0125760").URPN.	USPAT	OR	OFF	2009/03/09 16:18
S76	2	("20030214573").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 16:31
S77	2	("6914964").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 16:39
S78	20	("5475733" "5680443" "5745550" "5787148" "5875422" "5917888" "6076121" "6308087" "6324280" "6370498" "6477494" "6510206" "6668043" "6763089").PN. OR ("6914964").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/09 16:41
S79	4	("7206316").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 16:55
S80	2	("20040114532").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 17:01

S81	7	((SIP (session near1 Initiation)) near2 (parameter \$1 limitation\$1 factor\$1 requirement\$1)) with ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 17:12
S82	2	("20030076815").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 17:15
S83	29	((SIP (session near1 Initiation)) near2 (parameter \$1 limitation\$1 factor\$1 requirement\$1)) same ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 17:19
S84	476	(stor\$3 sav\$3 memor\$5 buffer \$3 database) same ((SIP call (session near1 Initiation)) with (parameter\$1 limitation \$1 factor\$1 requirement\$1)) with ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 17:25
S85	259	(stor\$3 sav\$3 memor\$5 buffer \$3 database) with ((SIP call (session near1 Initiation)) with (parameter\$1 limitation \$1 factor\$1 requirement\$1)) with ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 17:26

S86	15	(stor\$3 sav\$3 memor\$5 buffer\$3 database) with ((SIP call (session near1 Initiation)) with (parameter\$1 limitation \$1 factor\$1 requirement\$1)) with ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier))) same ((set\$3up establish\$3 near2 (call session))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 17:27
S87	2	("20050143056").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 17:29
S88	2	("20020025816").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 18:35
S89	2	("6192248").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 18:36
S90	3	("6556824").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 18:39
S91	9187	(370/352-356).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 19:22
S92	4	S91 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same (stor\$3 sav\$3 previous) with (session call) with (Parameter \$1 limit\$1 constraint\$1 factor \$1 requirement\$1 consideration\$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 19:23
S93	10891	(709/227-229).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/09 19:36
S94	1	S93 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same (stor\$3 sav\$3 previous) with (session call) with (Parameter \$1 limit\$1 constraint\$1 factor \$1 requirement\$1 consideration\$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 19:37

S95	3	S93 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) same (stor\$3 sav\$3 previous database) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 19:38
S96	5	S93 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) same (stor\$3 sav\$3 previous database) same (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 19:39
S97	173	S93 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) same (stor\$3 sav\$3 previous database) same (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/09 19:41
S98	12	("20010033188" "5689195" "5909126" "6215326" "6407576" "6650140").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:07
S99	32	((terminal node end\$1point) near2 (stor\$3 sav\$3 database memory) near3 (session transaction call set\$3up) near3 parameter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:25
S100	206	((terminal node end\$1point) near2 (stor\$3 sav\$3 database memory)) same ((session transaction call set\$3up) near3 parameter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:42
S101	154	((terminal node end\$1point) near2 (stor\$3 sav\$3 database memory)) same ((session call set\$3up) near3 parameter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:43

S102	128	((terminal node end\$1point) near2 (stor\$3 sav\$3 database)) same ((session call set\$3up) near3 parameter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:43
S103	2	("20030236892").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/10 17:46
S104	2	("20030026245").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/10 17:53
S105	24145	(message call SIP) near2 (set \$1up establish\$&)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 18:58
S106	0	((message call SIP) near2 (set \$1up establish\$&))same (previous near2 parameter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 18:59
S107	50	((message call SIP) near2 (set \$1up establish\$&))same (previous same parameter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 18:59
S108	4	(sav\$3 stor\$3 memory database) near3 ((message call SIP) near2 (set\$1up establish\$&))same (parameter) with (terminal node end\$1point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:25
S109	12	(sav\$3 stor\$3 memory database) near3 ((message call SIP) near2 (set\$1up establish\$&))same (parameter) same (terminal node end\$1point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:30
S110	13	(sav\$3 stor\$3 memory database) near3 ((message call SIP) near2 (set\$1up establish\$&))same (parameter) same ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:34

S111	37	((sav\$3 stor\$3 memory database) SAME((message call SI P) near2 (set\$1up establish\$&))same (parameter) same ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:36
S112	546	((sav\$3 stor\$3 memory database) SAME (parameter) WITH((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:45
S113	103	((sav\$3 stor\$3 memory database) NEAR (parameter) WITH((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:46
S114	103	((sav\$3 stor\$3 memory database) NEAR (parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:46
S115	9	((sav\$3 stor\$3 memory database) NEAR (parameter)) NEAR1 ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:46
S116	103	((sav\$3 stor\$3 memory database) NEAR (parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:48

S117	27	((sav\$3 stor\$3 memory database) NEAR (parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER))) SAME (SESSION CALL SET\$1UP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:48
S118	509	((parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER))) SAME (SESSION CALL SET\$1UP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:57
S119	30	(((SESSION CALL SET\$1UP) NEAR (parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point) near (ID IDENTIFICATION IDENTIFIER)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 19:57
S120	23	(((SESSION CALL SET\$1UP) NEAR (parameter)) WITH ((TELEPHONE NEAR NUMBER))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 20:15
S121	0	(table entr\$3 database storage stor\$3 sav\$3) near (((SESSION CALL SET\$1UP) NEAR (parameter)) WITH ((TELEPHONE NEAR NUMBER))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 20:18
S122	0	(table entr\$3 database storage stor\$3 sav\$3) near (((SESSION CALL SET\$1UP) NEAR (parameter)) same ((TELEPHONE NEAR NUMBER))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 20:18
S123	109	(table entr\$3 database storage stor\$3 sav\$3) near ((parameter)) same ((TELEPHONE NEAR NUMBER))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 20:18
S124	140	((sav\$3 stor\$3 database) near1 (parameter)) with (node terminal telephone end \$1point) near (ID indetifier identification number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 21:32

S125	42	((sav\$3 stor\$3 database) near1 (parameter)) with (node terminal telephone end \$1point) near (ID indetifier identification number) same (session call setup)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 21:33
S126	2	("7065070").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/10 21:36
S127	1348	"h.245"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 11:24
S128	1	S127 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) SAME (stor\$3 sav\$3 previous) SAME (session call) SAME(Parameter \$1 limit\$1 constraint\$1 factor \$1 requirement\$1 consideration\$1 restriction\$1) with (telephone near1 number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 11:25
S129	52	S127 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) SAME (stor\$3 sav\$3 previous) SAME (session call) SAME(Parameter \$1 limit\$1 constraint\$1 factor \$1 requirement\$1 consideration\$1 restriction\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 12:06
S130	2	("5420867").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/11 12:13
S131	24	("20020075880" "20020159442" "5867562" "6622016" "6711417" "6845092" "6888803" "6910074" "7043241" "7072653" "7184418" "7356001").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 13:09
S132	13	S131 AND (sip)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 13:10
S133	972	((primary second\$3) near2 (parameter) near2 (ID IDENTIFICATION NUMBER KEY))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 13:23

S134	93	((primary second\$3) near2 (parameter) near2 (ID IDENTIFICATION NUMBER KEY))SAME (CALL SESSION SIP SETUP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 13:23
S135	73	(((parameter) near2 (primary second\$3) near2 (ID IDENTIFICATION NUMBER)) SAME (CALL SESSION SIP SETUP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 13:41
S136	54	((primary second\$3) near2 (ID IDENTIFICATION NUMBER))SAME (CALL SESSION SIP SETUP) NEAR2 (parameter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 13:42
S137	1348	"h.245"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 14:10
S138	15	S137 and (parameter with (telephone near1 (number ID IDENTIFICATION)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 14:11
S139	2	("20070130301").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/11 14:15
S140	1	S139 and (paired \$1redundancy)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 14:16
S141	537	(370/278).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/11 18:01
S142	1	S141 and (((session call SIP message) near2 parameter) with (ID identification identifier (phone near1 number)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 18:02
S143	2	S141 and (((session call SIP message) near2 parameter) same (ID identification identifier (phone near1 number)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 18:02
S144	237	(370/277).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/11 18:03

S145	0	S144 and (((session call SIP message) near2 parameter) same (ID identification identifier (phone near1 number)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 18:03
S146	1	S144 and (((session call SIP message) same parameter) same (ID identification identifier (phone near1 number)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 18:04
S147	3	S144 and ((parameter) same (ID identification identifier (phone near1 number)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 18:04
S148	354	(370/261).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/11 18:05
S149	27	S148 and ((parameter) same (ID identification identifier (phone near1 number)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/11 18:06
S150	2	("6553108").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/11 18:14
S151	2520	(370/230).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 07:44
S152	11	S151 and ((SIP call session) same (stor\$3 sav\$3 previous) near2 (parameter))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 07:46
S153	5036	(370/252).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 07:49
S154	16	S153 and ((SIP call session) same (stor\$3 sav\$3 previous) near2 (parameter))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 07:49
S155	354	(370/261).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 07:51
S156	1	S155 and ((SIP call session) same (stor\$3 sav\$3 previous) near2 (parameter))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 07:51

S157	406	370/271	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 07:52
S158	3	S157 and ((SIP call session) same (stor\$3 sav\$3 previous) near2 (parameter))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 07:52
S159	537	(370/278).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/03/12 07:52
S160	2	S159 and ((SIP call session) same (stor\$3 sav\$3 previous) near2 (parameter))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 07:52

3/ 12/ 2009 7:55:16 PM

C:\ Documents and Settings\ zbeyen\ My Documents\ EAST\ Workspaces\ 10581320.wsp